

(888) 508-5054 Fax: (469) 621-5604

IMPORTANT INFORMATION - PLEASE READ PRIOR TO ORDERING

HANGING TRUSS & LIGHTING EQUIPMENT

OFFICIAL SERVICES CONTRACTOR RESPONSIBILITIES

- Freeman personnel/employees must operate all chain motors, including the final trim.
- Freeman personnel/employees only will be allowed in aerial lifts.
- Freeman personnel/employees only will be allowed to operate mechanized equipment.
- Freeman personnel/employees must assemble and disassemble any and all overhead rigging. This includes, but is not limited to:
 - * The assembly of all truss
 - * The attachment and disassembly of light fixtures to truss
 - * The installation and dismantle of power sources, programmable dimmable lighting packages, chain motors and span sets.
- Freeman Electricians will run all initial power sources and Freeman personnel will make all connections to the dimmable power sources.
- · Freeman Stagehands install/dismantle all programmable dimmable lighting fixtures, video walls, audio, and projection.

PLACING YOUR ORDER (please include these items when placing your order)

- · Complete the Method of Payment
- Complete the Hanging Truss & Chain Hoist Order Form
- · Complete the Electrical Order Form for chain hoist power
- · Complete the Electrical Labor Order Form for chain hoist power
- Include Rigging Plot in a DWG format with the order forms plot must reflect the following:
 - 1. Hang point locations
 - 2. Height above the floor of each hang point
 - 3. Weight that will be suspended from each hang point
 - 4. Exhibit plan showing the location of the hang points and the structure as it pertains to the exhibit plan
- Complete the Structural Integrity Statement See enclosed LVCC Rigging Regulations.
- · Send the above information to Freeman at the address on the order forms

GROUND-SUPPORTED TRUSS & LIGHTING EQUIPMENT

OFFICIAL SERVICES CONTRACTOR RESPONSIBILITIES

- Freeman personnel/employees will provide installation and dismantle labor of self-climbing and/or mechanized truss systems.
- Freeman personnel/employees must install and dismantle any programmable dimmable lighting fixtures that are attached to any ground-supported truss.
- · Freeman personnel/employees must assemble and disassemble as well as install and dismantle all electrical hanging signs.

PLACING YOUR ORDER (please include these items when placing your order)

- Complete the Method of Payment
- Complete the Hanging Truss & Chain Hoist Order Form
- · Complete the Structural Integrity Statement
- · Send the above information to Freeman at the address on the order forms

NON-ELECTRICAL HANGING SIGNS (UNDER 200 POUNDS)

OFFICIAL SERVICES CONTRACTOR RESPONSIBILITIES

• Freeman personnel/employees must assemble and disassemble, install and dismantle all hanging signs.

PLACING YOUR ORDER (please include these items when placing your order)

- · Complete the Method of Payment
- · Complete the Hanging Sign Order Form
- Include Assembly Instructions
- Complete the Structural Integrity Statement
- Ship sign to Freeman warehouse using the "Hanging Sign" shipping labels provided
- Send the above information to Freeman at the address on the order forms

IMPORTANT INFORMATION (continued)

NON-ELECTRICAL HANGING SIGNS (OVER 200 POUNDS - CHAIN HOIST REQUIRED)

OFFICIAL SERVICES CONTRACTOR RESPONSIBILITIES

- Freeman personnel/employees must assemble and disassemble all hanging signs.
- Freeman personnel/employees must install and dismantle all hanging signs.
- · Freeman personnel/employees will install chain hoist and attach sign to the hoist.

PLACING YOUR ORDER (please include these items when placing your order)

- · Read enclosed LVCC Rigging Regulations
- · Complete the Method of Payment
- Complete the Hanging Sign Order Form
- Complete the Hanging Truss & Chain Hoist Order Form
- · Complete the Electrical Order Form for chain hoist power
- Complete the Electrical Labor Order Form for chain hoist power
- · Include Assembly Instructions
- All rigging plans must be submitted to Freeman Rigging Manager three (3) weeks prior to move-in in a DWG format.
- Complete the Structural Integrity Statement
- · Ship sign to Freeman warehouse using the "Hanging Sign" shipping labels provided
- Send the above information to Freeman at the address on the order forms

ELECTRICAL HANGING SIGNS

OFFICIAL SERVICES CONTRACTOR RESPONSIBILITIES

- Freeman personnel/employees will assemble and disassemble all electrical hanging signs.
- Freeman personnel/employees will install and dismantle all electrical hanging signs.
- Freeman personnel/employees will install chain hoist and attach sign to the hoist for signs over 200 pounds.
- Power for chain hoist must be included with your order for electrical services.

PLACING YOUR ORDER (please include these items when placing your order)

- · Complete the Hanging Sign Order Form
- Complete the Electrical Labor Order Form
- Complete the Electrical Services Order Form
- · Include Assembly Instructions
- Complete the Structural Integrity Statement
- · Ship sign to Freeman warehouse using the "Hanging Sign" shipping labels provided.
- Send the above information to electrical contractor at the address on the order forms

STRUCTURAL INTEGRITY

VIDEO WALLS

- A final technical drawing must be approved by LVCVA Fire & Safety and Freeman. The structure must be built exactly as specified in the drawing. All video walls must also be in accordance with ANSI E1.50-1.
- Any structures of any height (typically over 16 ft. tall) that LVCVA Fire & Safety deems to be unsafe and/or unstable is subject
 to being tied off to a structural element at the Exhibitor's expense.
- All contents of the booth are subject to onsite inspection. If any element of the booth does not meet structural integrity standards, it is subject to onsite changes at the Exhibitor's expense.

TRUSS

- All truss must have a wet-stamped drawing from a U.S. licensed engineer and the final version must be approved by LVCVA
 Fire & Safety and Freeman. The structure must be built exactly as specified in the drawing (i.e. inclusion of weather monitoring
 equipment, standby labor, etc.). All outdoor trusses must also include a staking and ballasting plan, if needed, and the wind
 load must be in accordance with IBC or ANSI E1.21.
- Any trusses or structures of any height (typically over 16 ft. tall) that LVCVA Fire & Safety deems to be unsafe and/or unstable
 is subject to being tied off to a structural element at the Exhibitor's expense.
- All contents of the booth are subject to onsite inspection. If any element of the booth does not meet structural integrity standards, it is subject to onsite changes at the Exhibitor's expense.

LAS VEGAS CONVENTION CENTER RIGGING REGULATIONS

Please carefully read these regulations. The Las Vegas Convention Center will strictly enforce these rules.

- 1. Any object over 200 lbs. or requiring the use of chain motors must be submitted to Freeman for approval by the Las Vegas Convention Center.
- 2. Freeman is required to reflect the plot plan for all booths on the overall ceiling plan for every show at the Las Vegas Convention Center. Freeman cannot hang any object prior to receiving approval from the Director of Engineering or his/her representative.
- 3. The exhibitor must submit all rigging plans to the Rigging Manager at Freeman 21 days prior to the start of rigging installation for submittal to the Las Vegas Convention Center.
- 4. All submitted files should be in DWG format. VectorWorks and PDF format files are not acceptable. Any conversion to DWG will be charged to the exhibitor at \$127.60 per hour (straight time).
- 5. The exhibitor is responsible for reflecting the structure of rigging, load calculations, and an overlay of the rigging within their booth space in their DWG.
- 6. The exhibitor will be charged \$127.60 per hour (straight time), with a two hour minimum, to transfer the plot plan to the overall ceiling grid that Freeman is required to submit to the Las Vegas Convention Center.
- 7. Any conversions, revisions, or changes will be billed at \$127.60 per hour (straight time).
- 8. If exhibitor gear is used, the exhibitor must provide certifications for all hoist motors and rigging apparatus' upon request of the Las Vegas Convention Center Director of Engineering.
- 9. All special and unusual weights, motors, and apparatus or items not normally hung must obtain written permission from the Las Vegas Convention Center Director of Engineering. Exceedingly large rigs that support abnormal loads, or non-uniform distribution of weight or hardware, may require (at the exhibitor's expense) plans that have been approved and stamped by a licensed engineer selected by the LVCVA.
- 10. Any weight load exceeding the pre-approved limits is subject to removal at the exhibitor's expense.
- 11. Weight on catwalks will not exceed 25 pounds per square foot.
- 12. Rigging under catwalk structures in prohibited.



(888) 508-5054 Fax: (469) 621-5611 Place your order online at www.freeman.com/store

Submit order forms here.

NAME OF SHOW:	SEMA Show 2022 / November 1-4, 2022		
COMPANY NAME:		BOOTH #:	
CONTACT NAME:		PHONE #:	
E-MAIL ADDRESS:			

For fast, easy ordering, go to www.freeman.com/store.

HANGING SIGN LABOR

INSTRUCTIONS

- Overhead hanging signs are to be sent in separate containers directly to advance warehouse using the enclosed <u>Hanging Sign</u> <u>Labels</u>. This container MUST arrive by the warehouse shipping deadline. If these procedures are not followed, Freeman cannot guarantee the hanging of your sign or advance pricing.
- All ceiling rigging must conform to show management rules and regulations and facility limitations.
- All overhead hanging must be assembled, installed, and removed by Freeman.
- · Set up instructions must be provided for signs needing assembly.
- All hanging hardware must be shouldered, forged, stamped, and rated for overhead lifting. This hardware must be sourced domestically. Freeman will inspect and replace all non-compliant hardware. All additional hardware will be charged accordingly.
- Electrical signs must be in working order and in accordance with the National Electrical Code. Electrical service requirements must be ordered in advance on the enclosed Electrical Order Form.
- If any hang point supports over 200 lbs., notify Freeman immediately for special authorization.
- LVCC Rigging Regulations must be adhered to in order to complete your hang. Refer to LVCC Rigging Regulations for details

SUPERVISION

Supervision for assembly and disassembly of overhead hanging sign can be provided by Freeman, or by your company representative, display house, independent or lighting contractor.

Please indicate method of supervision you require for assembly/ disassembly:

☐ Freeman
Exhibitor Personnel
☐ Display House
f Freeman will not be supervising, please provide the contact formation for the onsite supervisor:
Name:
Phone Number:

Additional crew and/or equipment will be used if the supervisor deems it necessary to safely complete the installation and/or dismantling of a job and it will be charged accordingly.

PLEASE NOTE:

- Freeman will begin to assemble and hang the signs as soon as the hall is accessible as long as the order and the sign are received by the appropriate deadline dates.
- In the event the order and sign are not received by the deadline date, Standard Prices will apply and the sign will be hung when the equipment and labor become available.

EQUIPMENT AND LABOR RATES TO HANG SIGNS

Equipment With Crew

- Standard Prices will apply to all orders placed after SEPTEMBER 29, 2022.
- Standard Prices will apply to all hanging sign orders placed at show site.
- · Rates are per lift and crew per hour.
- · Boom with crew consists of boom, operator and rigger.
- Additional crew and/or equipment will be used if the supervisor deems it necessary to safely complete the installation and/or dismantling of a job and it will be charged accordingly.
- · Assembly and Ground Labor is an additional charge.
- One hour minimum per lift/crew lift/crew thereafter is charged in half (1/2) hour increments.
- Freeman components (cable, clamps, etc.) will be used to install all hanging signs and charged accordingly.
- · Straight time cannot be guaranteed.

	Discount <u>Price</u>	Standard <u>Price</u>			
Boom Lift With Crew					
Lift with crew	\$685.85	\$891.60			
Additional Crew/Assembly	Labor (Per p	erson / Per hour)			
Assembly labor	\$135.35	\$175.95			
Rates are blended to include any overtime to accomplish the hanging of all signs in a timely manner prior to the opening of the show.					
	Advance <u>Price</u>	Show Site Price			
Electrical Assembly (Per pe	erson / Per ho	our)			
Straight Time	\$114.85	\$149.30			
Overtime	\$217.40	\$282.60			
Straight Time (cannot be gua 8:00 AM to 5:00 PM, Monday Overtime 8:00 AM & 5:00 PM Monday Sunday and recognized holid	through Frid				
Installation Estimate					
Approx Hours Hourly	Rate T	otal Estimated Cost			
@	=				
Dismantle Estimate Approx Hours Hourly	Rate T	otal Estimated Cost			
@	=				

STRUCTURAL INTEGRITY STATEMENT MUST ACCOMPANY ORDER

IPANY NAME ITACT NAME: AIL ADDRESS	:					mber	, -									
									ВО	OTH#:						
AIL ADDRESS									PHO	ONE #:						
	3:															
						ANG	ING	016		A D 6						
					H	ANG	IINC	510	in L	ABC)R					
N DESCRI					t or dra	wing wi	ith deta	iled info	ormatio	n so ha	nging a	ınchor	points o	an be	determi	ned.
e: Cloth B pe: Squar e: Height ght of Sign: s Your Sign F s Your Sign F s Your Sign F	Require El	riangle Lengtl (req lectricit ssembl] Yes	h uired) y? y?	Recta Yes Yes No	ngle _ Wid _ No _ No	Circ	ele 🗌		-							
ACEMENT I Use diagram Please provides so that the di Please indica The ceiling st	below to de surrour agram do ate how fa	represending ai es not l r in fror	isle an have t m eacl	d/or bo o be ro h bound	oth nur tated. dary yo	mbers, pur would	d like y	our sigr	placed	d.						e overall flooi
Center sigr Number of f			top of	sign: _		0	r check	here if	sign is	to be h	ung at	maximı	um heig	ıht allov	wed 🗌	
Place sign Number of f	eet from f	loor to	top of	sign: _		01	r check	here if								
A measurement of the measurement	use 1 squ	uare = 1	1/4 ft				<u> </u>	' x 20' u	se 1 sq	uare =	1/2 ft	e below	the sc	ale use	ed.	
30' x 30'								' x 40' u	se 1 sq	uare =	1 ft					
☐ Customiz	ze your gr	id:	ft x	·	ft use	1 squai	re =	ft								
			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				
I			Adjac	ent Aisle	or Booth	#:	/ N		eet from	TOP of ex	hibit spac	e:			·•······	·
			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				Adjacen
			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				Adjacent Aisk
side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				Adjacent Aisle or B
m left side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				Adjacent Aisle or Booth #
in from left side:			Adjac	ent Aisle	or Booth :	#:	/ N		eet from	TOP of ex	hibit spac	e:				<u>.</u> 9
f feet in from left side:			Adjac	ent Aisle	or Booth :	#:	/ N		eet from	TOP of ex	hibit spac	e:				<u>.</u> 9
iber of feet in from left side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				<u>.</u> 9
/ Number of feet in from left side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit space	e:				<u>.</u> 9
/ Number of feet in from left side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				or Booth #:/ Number of
/ Number of feet in from left side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit spac	e:				or Booth #:/ Number of feet
			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit space	e:				or Booth #: / Number of feet in
			Adjac	ent Aisle	or Booth	#:	/ N		eet from	TOP of ex	hibit spac	e:				or Booth #: / Number of feet in
			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit space	e:				or Booth #: / Number of feet in
			Adjac	ent Aisle	or Booth	#:	/ N		eet from ⁻	TOP of ex	hibit space	e:				or Booth #:/ Number of feet
Adjacent Aisle or Booth #:/ Number of feet in from left side:			Adjac	ent Aisle	or Booth	#:	/ N		eet from	TOP of ex	hibit spac	e:				or Booth #: / Number of feet in

(510824) Page 2 of 2



PLEASE INCLUDE THIS FORM WITH YOUR HANGING SIGN ORDER FORM

STRUCTURAL INTEGRITY STATEMENT THIS FORM MUST BE RETURNED FOR ALL SUSPENDED STRUCTURES

	, the contracted
exhibitor at the SEMA Show 2022 / Nove	mber 1-4, 2022 and (if applicable),
the display house or builder for the aforem	entioned exhibitor, do hereby certify
and guarantee that the stress points for	the hanging structure have been
properly engineered and tested. We furth	er certify that the structure can be
hung safely and has been constructed to	meet all applicable regulations and
safety measures.	
We hereby release, indemnify and forever	•
LAS VEGAS CONVENTION CENTER, FR	·
directors, officers, employees, representa	
and against any and all liability, claims,	•
arising from the installation, use or dismant	.
supporting in excess of 200 lbs. may be ve	erified (metered) on site at exhibitor's
expense.	
Exhibiting Company:	Booth #:
Authorized Signature:	
Printed Name:	
E-Mail:	
Display House/Builder (if applicable):	
Authorized Signature:	
Printed Name:	Date:

E-Mail:



(888) 508-5054 Fax: (469) 621-5604

Company Name:

Place your order online at www.freeman.com/store

Submit order forms here.

Phone:

NAME OF SHOW:	SEMA Show 2022 / November 1-4, 2022	
COMPANY NAME:		BOOTH #:
CONTACT NAME:		PHONE #:
E-MAIL ADDRESS:		

For fast, easy ordering, go to www.freeman.com/store.

HANGING TRUSS & CHAIN HOIST

- Orders received after SEPTEMBER 29, 2022 will be charged the Standard Price.
- All rigging must comply with LVCC and Show Management rules and regulations and facility limitations.
- All overhead rigging and flown objects must be assembled and disassembled by Freeman. Exhibitor's display company and/or I & D representatives may supervise only and will not be allowed to assemble/disassemble or install and remove rigging or flown objects. No one other than Freeman employees will be permitted in lifts.
- Freeman requires an engineered print of all truss and lighting rigging, including rigging point loads per our facility agreement. Failure to provide a DWG file of the rigging plot with load and required information three (3) weeks prior to move-in may prohibit your rig from being hung.
- Time will commence per exhibitors request. Failure to start at the requested time will result in a 4 hour minimum charge per stagehand person requested, unless 24-hour advance notice is provided in writing.

Contact Name:

- Stagehand labor is based on a four hour minimum
- During run of show, there will be a 2 hour turn on / 2 hour turn off charge per day, based on the four hour minimum.
- Freeman Stagehands install/dismantle all programmable dimmable lighting fixtures, video walls, audio, and projection.
- For Pre Rigging, please contact Freeman for availability.
- Freeman components (cable, clamps, etc.) will be used to install all truss and chain motors and charged accordingly.

LIGHTING DESIGNER INFORMATION - NOTE: LVCC RIGGING REGULATIONS MUST BE ADHERED TO

Description	Discount Price	Standard Price	
RIGGING EQUIPMENT			
Rates are blended to include any overtime to accomplish the hanging of all sign	ns in a timely manner p	rior to the op	ening of the show
Rates are per lift and crew, per hour			
Crew consists of 1 Operator and 1 Ground Man			
Condor w/crew	\$685.85	\$891.60	
Scissor Lift w/crew	\$625.90	\$813.65	
RIGGING LABOR (please indicate labor needed by checking appropriate box(es) Straight Time: 8:00 AM to 5:00 PM Monday through Friday	below)		
Overtime: 5:00 PM to 8:00 AM Monday through Friday and all day Saturday,	Sunday and recognized	holidays	
Rigging Labor - ST	\$127.60	\$165.90	
Rigging Labor - OT	\$250.35	\$325.45	
☐ High Rigger ☐ Ground Rigger ☐ Theatrical Stage Electrician ☐ Programmer ☐	□ Projectionist □ A/V I	echnician 🗆 S	Sound Technician
 MISCELLANEOUS LABOR During run of show, there will be a 2 hour turn on / 2 hour turn off charge per day, b Charges do not apply if your electrical needs consist of 20 amps or less. 	pased on the four hour m	inimum.	
Turn-On / Turn-Off Charge - ST	\$127.60	\$165.90	
Turn-On / Turn-Off Charge - OT		\$325.45	
Qty Description	Discount Price	Standard Price	Total
MISCELLANEOUS EQUIPMENT			
One Ton Hoist (power not included - complete Electrical Order Form) *	\$534.60	\$695.00	\$
Half Ton Hoist (power not included - complete Electrical Order Form) *	\$534.60	\$695.00	\$
Temporary hoist power must be ordered separately and cannot be ordered in conjunc	ction with any other outle	et.	
20.5" Box Truss (per foot) *	\$26.65	\$34.65	\$
12" Box Truss (per foot) *	\$23.40	\$30.40	\$
Small Rotator		\$347.60	\$
Large Rotator	\$534.60	\$695.00	\$
Man Lift (per day)		\$288.20	\$
Genie Hand Crank (per day)		\$288.20	\$
Total for Miscellaneous Equipment	·		\$

STRUCTURAL INTEGRITY STATEMENT MUST ACCOMPANY ORDER

Please attach a detailed production schedule that includes a daily list of labor and equipment needed for the duration of the show.

FREEMAN

RECEIVING BEGINS: SEPTEMBER 22, 2022

DEADLINE DATE IS: OCTOBER 20, 2022

TO:

C/O FREEMAN 6675 W SUNSET RD **LAS VEGAS, NV 89118**

WAREHOUSE HANGING SIGN

EVENT SEMA Show 2022 BOOTH #_____ No. ____ of____ Pcs.

FREEMAN

RECEIVING BEGINS: SEPTEMBER 22, 2022

DEADLINE DATE IS: OCTOBER 20, 2022

TO:

C/O FREEMAN 6675 W SUNSET RD LAS VEGAS, NV 89118

WAREHOUSE HANGING SIGN

EVENT	SEMA S	how 2022	
BOOTH #	No	of	Pcs

FREEMAN

RECEIVING BEGINS: SEPTEMBER 22, 2022

DEADLINE DATE IS: OCTOBER 20, 2022

TO: EXHIBITOR NAME

C/O FREEMAN 6675 W SUNSET RD LAS VEGAS, NV 89118

WAREHOUSE **HANGING SIGN**

EVENT	SEMA Show	2022	
BOOTH #	No	of	Pcs.

FREEMA

RECEIVING BEGINS: SEPTEMBER 22, 2022

DEADLINE DATE IS: OCTOBER 20, 2022

TO: EXHIBITOR NAME

C/O FREEMAN 6675 W SUNSET RD **LAS VEGAS, NV 89118**

WAREHOUSE HANGING SIGN

EVENT	SEMA S	how 2022	
BOOTH #	No.	of	Pcs